

# **Product and Company Identification**

# Company

ACS Technical Products, Inc. 420 South Colfax Avenue Griffith, Indiana 46319

**Functional Additives** 

Customer Service Telephone Number: (219) 924-4370

(Monday through Friday, 8:00 AM to 4:30 PM Central)

**Emergency Information** 

Transportation: CHEMTREC: (800) 424-9300

(24 hrs., 7 days a week)

Medical: Rocky Mountain Poison Center:

(866) 767-5089

(24 hrs., 7 days a week)

**Product Information** 

**PRODUCT NAME** EPOXOL<sup>®</sup> 9-5 Epoxidized Linseed Oil

SYNOMYMS Not available MOLECULAR FORMULA: Not available

CHEMICAL FAMILY: Epoxidized vegetable oil

PRODUCT USE: Plasticizer

# 2 Hazards Identification

**Emergency Overview** 

Color:yellowPhysical state:liquidForm:viscous

**Odor:** slight, vegetable oils

# Classification of the substance or mixture:

Not a hazardous substance or mixture.

#### **GHS-Labeling**

Not a hazardous substance or mixture.

# **Supplemental Information:**

#### **Potential Health Effects:**

The product, in the form supplied, is not anticipated to produce significant adverse human health effects.

Other:

Epoxol<sup>®</sup> 9-5 SDS-002 Page: 1 of 8



Handle in accordance with good industrial hygiene and safety practice.

# 3 Composition/Information on Ingredients

Chemical Name	CAS-No.	Wt/Wt	GHS Classification
Linseed oil, epoxidized	8016-11-3	100 %	Not classified

<sup>\*\*</sup>Full text of the H-Statements mentioned in this Section, see Section 16.

# 4 First Aid Measures

#### Inhalation:

If inhaled, remove victim to fresh air.

#### Skin:

In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes, Wash clothing before reuse. Thoroughly clean shoes before reuse.

#### Eves:

Immediately flush eye(s) with plenty of water.

#### **Ingestion:**

If swallowed, DO NOT induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.

# 5 Fire Fighting Measures

#### **Extinguishing media (suitable):**

Water spray, Carbon dioxide (CO2), Foam, Dry chemical

#### **Protective equipment:**

Fire fighters and others who may be exposed to products of combustion should wear full fire fighting turn out gear (full Bunker Gear) and self-contained breathing apparatus (pressure demand / NIOSH approved or equivalent).

# Further firefighting advice:

Do not use a solid stream of water.

A solid stream of water can cause frothing and spattering.

Fire fighting equipment should be thoroughly decontaminated after use.

# Fire and explosion hazards:

When product is burned, the following hazardous products of combustion can occur:

Carbon oxides

Hazardous organic compounds

Epoxol<sup>®</sup> 9-5 SDS-002 Page: 2 of 8



# Accidental Release Measures

#### In case of spill or leak:

Prevent further leakage or spillage if you can do so without risk. Ventilate the area. Avoid generation of vapors. Contain and collect spillage with non-combustible absorbent material such as clean sand, earth, diatomaceous earth or non-acidic clay and place into suitable properly labeled containers for prompt disposal. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

# Handling and Storage

#### **Handling**

#### General information on handling:

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure. Prompt removal of material from eyes, skin, and clothing.

#### **Storage**

#### General information on storage conditions:

This material is not hazardous under normal storage conditions. Material should be stored in closed containers in a secure area to prevent container damage and subsequent spillage.

#### Storage stability – Remarks:

Material is stable under normal conditions.

#### Storage incompatibility - General:

Store separate from: Mineral acids Strong acids

# Temperature tolerance - Do not store above:

250 °F (121 °C)

# **Exposure Controls/Personal Protection**

# **Airborne Exposure Guidelines:**

#### **Engineering controls:**

Investigate engineering techniques to reduce exposures below airborne exposure limits or to otherwise reduce exposures. Provide ventilation if necessary to minimize exposures or to control exposure levels to below airborne exposure limits (if applicable see above). If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.

Epoxol<sup>®</sup> 9-5 SDS-002 Page: 3 of 8



#### Respiratory protection:

Where airborne exposure is likely or airborne exposure limits are exceeded (if applicable, see above), use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Consult respirator manufacturer to determine appropriate type equipment for a given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure or where exposure limit may be significantly exceeded, use an approved full face positive-pressure, self-contained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply. Respiratory protection programs must comply with 29 CFR §1910.134.

#### Skin protection:

Minimize skin contamination by following good industrial hygiene practice. Wearing protective gloves is recommended. Wash thoroughly after handling.

#### **Eye protection:**

Use good industrial practice to avoid eye contact.

# 9 Physical and Chemical Properties

Color: light yellow Physical state: liquid Form: viscous

**Odor:** slight, vegetable oils

**Flash point:** 590 °F (310 °C) (Cleveland open cup)

Auto-ignition temperature:

Lower flammable limit (LFL)

Upper flammable limit (UFL)

Ph:

No data available
No data available
no data available

**Density:** 1.03 g/cm<sup>3</sup> **Specific Gravity (Relative density):** 1.03 Water = 1 (liquid)

**Vapor pressure:** <0.1 mm Hg (77 °F (25 °C)) **Vapor density:** no data available

**Boiling point/boiling range:** Decomposes on heating.

**Freezing point:** <32 °F (0 °C) **Evaporation rate:** No data available

Solubility in water: 0.01 %

Oil/water partition coefficient: No data available Thermal decomposition: No data available

**Flammability:** See GHS Classification in Section 2

# 10 Stability and Reactivity

# Stability:

This material is chemically stable under normal and anticipated storage, handling and processing conditions.

# **Hazardous reactions:**

Hazardous polymerization may occur.

Epoxol<sup>®</sup> 9-5 SDS-002 Page: 4 of 8



#### Materials to avoid:

Strong acids

Mineral acids

Contact with strong acid may result in volume expansion

Hazardous polymerization may occur if contaminated with strong mineral acids.

#### Conditions / hazards to avoid:

See HANDLING AND STORAGE - Section 7 of this SDS for specified conditions. See Hazardous Decomposition Products below.

# Hazardous decomposition products:

Thermal decomposition giving flammable and toxic products Carbon oxides
Hazardous organic compounds
At high temperature:
Acrolein

# 11 Toxicological Information

Data on this material and/or similar material is summarized below.

# Data for EPOXOL® 9-5 EPOXIDIZED LINSEED OIL

# **Acute toxicity**

#### Oral:

Practically nontoxic. (rat) LD50 = 15,000 mg/kg.

#### **Skin Irritation:**

Non-irritating to slightly irritating. (rabbit)

# Eye Irritation:

Causes mild eye irritation. (rabbit) (data for a similar material)

# Other Information

The information presented is from representative materials in this chemical class. The results may vary depending on the test substance.

# Data for Soybean oil, epoxidized (8013-07-8)

# **Acute toxicity**

#### Dermal:

Practically nontoxic. (rabbit) LD50 > 19,900 mg/kg

#### **Inhalation:**

No deaths occurred. (rat) 8 h Exposure time (concentrated vapor)

# **Skin Sensitization:**

Not a sensitizer. Repeated skin exposure. (guinea pig) No skin allergy was observed.

Epoxol<sup>®</sup> 9-5 SDS-002 Page: 5 of 8



# Repeated dose toxicity

Repeated dietary administration to rat / affected organ(s): kidney, liver, testes, uterus / increased mortality (Repeated exposure at high concentration)

#### Carcinogenicity

Chronic oral administration to rat / signs: No increase in tumor incidence was reported.

Chronic dermal administration to mice / signs: No increase in tumor incidence was reported.

#### Genotoxicity

#### **Assessment in Vitro:**

No genetic changes were observed in laboratory tests using: bacteria, animal cells, human cells.

# **Developmental toxicity**

Exposure during pregnancy. Oral (rat) / No birth defects were observed.

#### Reproductive effects

Reproduction Test. Oral (rat) / No toxicity to reproduction.

# Other information

The information presented is from representative materials in this chemical class. The results may vary depending on the test substance.

# 2 Ecological Information

# **Chemical Fate and Pathway**

Data on this material and / or a similar material are summarized below.

# Data for EPOXOL® 9-5 EPOXIDIZED LINSEED OIL

# **Octanol Water Partition Coefficient:**

log Pow > 6.2

# Data for Soybean oil, epoxidized (8013-07-8)

#### **Biodegradation:**

Readily biodegradable. (Modified Strum Test, 28 d) biodegradation 79% / OECD Test Guideline 301 B

#### **Chemical Oxygen Demand:**

COD 2,240 mg/g

Low potential to bioaccumulate

#### **Additional Information:**

Information given is based on data obtained from similar substances.

#### **Ecotoxicology**

Data on this material and / or similar material is summarized below.

# Data for Soybean oil, epoxidized (8013-07-8)

Information given is based on data from similar substances.

Epoxol<sup>®</sup> 9-5 SDS-002 Page: 6 of 8



#### Aquatic toxicity data:

Fish LC50 > limit of water solubility

#### Algae:

Algae EC50 > limit of water solubility

# 13 Disposal Considerations

#### Waste disposal:

Recycling is preferred to disposal or incineration. If recycling is not an option, incinerate or dispose of in accordance with federal, state, and local regulations. Consult a regulatory specialist to determine appropriate state or local reporting requirements, and for assistance in waste characterization, hazardous waste disposal and other requirements listed in pertinent environmental permits.

**Note:** Chemical additions to, processing of, or otherwise altering this material may make this waste management information incomplete, inaccurate, or otherwise inappropriate. State and local waste disposal requirements may be more restrictive or otherwise different from federal laws and regulations.

# 14 Transport Information

US Department of Transportation (DOT): not regulated

International Maritime Dangerous Goods Code (IMDG): not regulated

# 15 Regulatory Information

#### **Chemical Inventory Status**

EU. EINECS	EINECS	Conforms to
United States TSCA Inventory	TSCA	The components of this product are all on the TSCA Inventory
Australia. Inventory of Chemical Substances (AICS)	AICS	Conforms to
Canadian Domestic Substances List (DSL)	DSL	All components of this product are on the Canadian DSL
China Inventory of Existing Chemical Substances Inventory (IECSC)	IECSC (CN)	Conforms to
Japan ENCS – Existing and New Chemical Substances Inventory	ENCS (JP)	Conforms to
Japan ISHL – Inventory of Chemical Substances	ISHL (JP)	Conforms to
Korea Korean Existing Chemicals Inventory (KECI)	KECI (KR)	Conforms to
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	PICCS(PH)	Conforms to

Epoxol<sup>®</sup> 9-5 SDS-002 Page: 7 of 8



#### <u>United States – Federal Regulations</u>

# SARA Title III – Section 302 Extremely Hazardous Chemicals:

The components in this product are either not SARA Section 302 regulated or regulated but present in negligible concentrations.

#### SARA Title III - Section 311/312 Hazard Categories:

No SARA Hazards

# **SARA Title III – Section 313 Toxic Chemicals:**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) – Reportable Quantity (RQ):

The components in this product are either not CERCLA regulated, regulated but present in negligible concentrations, or regulated with no assigned reportable quantity.

# **United States – State Regulations**

#### **New Jersey Right to Know**

No components are subject to the New Jersey Right to Know Act.

# Pennsylvania Right to Know

<u>Chemical Name</u> <u>CAS-No.</u> Linseed oil, epoxidized 8016-11-3

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive defects.

#### 16 Other Information

Latest Revision(s):

Date of Revision: 5/05/2021

Epoxol<sup>®</sup> 9-5 is a registered trademark of ACS Technical Products, Inc.

ACS Technical Products, Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information is provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of ACS Technical Products, Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

Epoxol<sup>®</sup> 9-5 SDS-002 Page: 8 of 8